

Anaphylaxis Management Policy

1. Purpose

Anaphylaxis is a severe and potentially life-threatening allergy that can affect more than one body system simultaneously. Our purpose is to provide a safe and supported environment in which students at risk of Anaphylaxis can participate equally in all aspects of performing arts. Although not mandated, CentreStage is committed to complying with Ministerial Order 706 and associated guidelines published by the Department of Education and Early Childhood.

2. Aims

- To raise awareness of Anaphylaxis
- To provide wherever possible, a safe and supportive environment so that students at risk of Anaphylaxis have equal opportunity to take part in performance life
- To engage and collaborate with parents/carers of students at risk of Anaphylaxis, to assess and minimise risk for their student and develop management strategies for them
- To ensure that each staff member has adequate knowledge about allergies, Anaphylaxis and Centrestage's policy and procedures in responding to an Anaphylaxis event

3. Implementation

Centrestage Pty Ltd require an Individual Action Plan (ASCIA Action Plan), signed by a medical practitioner to be provided for students at risk of Anaphylaxis. This is to be provided prior to or at the first class attended by the student. This will be displayed in staff and student working areas. In consultation with parents/carers, an Individual management plan will be developed for each student at risk of Anaphylaxis.

At Centrestage, we believe that managing a serious health alert such as Anaphylaxis is a joint responsibility and effort with parents/carers. For us to adequately care for your child, all involved should take reasonable steps to:

- Share information regarding the student's medical condition
- Prevent an Anaphylactic incident
- Respond in a timely, informed and appropriate manner, if an incident does occur

Individual Anaphylaxis Management Plans



The Centrestage Owner will ensure that an 'Individual Anaphylaxis Management Plan' is developed in consultation with a student's parents/carers, for any student who has been diagnosed by a medical practitioner as being at risk of Anaphylaxis.

The Plan will be in place as soon as practicable after the student enrolls with Centrestage.

The Individual Anaphylaxis Plan will be set out in the format used by the Australian Society of Clinical Immunology and Allergy (ASCIA). See' Individual Anaphylaxis Management Plan' (Appendix A). It should include the following:

- a. Information about the student's medical condition that relates to an allergy and the potential for an anaphylactic reaction, including the type of allergy or allergies the student has (based on a written diagnosis from a medical practitioner).
- b. Strategies to minimise the risk of exposure to known and notified allergens while the student is under the care or supervision of Centrestage staff, including for in-school and off-site activities, such as, at camps and excursions, or at special events conducted, organised or attended by Centrestage.
- c. The name of the person/s responsible for implementing the strategies.
- d. Information on where the student's medication will be stored.
- e. The student's emergency contact details.
- f. An 'ASCIA Action Plan' provided by the parents/carers that:
 - Sets out the emergency procedures to be taken in the event of an allergic reaction
 - Is signed by a medical practitioner who was treating the child on the date the practitioner signs the Plan
 - Includes an up to date photograph of the student.

Review of Individual Anaphylaxis Management Plan:

A student's Individual Management plan will be reviewed, in consultation with the student's parents/carers in all of the following circumstances:



- a. Annually.
- b. If the student's medical condition, in so far as it relates to allergy and the potential for anaphylactic reaction, changes
- c. As soon as practicable after the student has an anaphylactic reaction at Centrestage
- d. When the student is to participate in an off-site activity, such as camps and excursions, or at special events conducted, organised or attended by the school (e.g. class parties, elective subjects, cultural days, fetes, or incursions)

Responsibility of Parents/Carers:

- a. Provide the ASCIA Action Plan.
- b. Inform the school in writing of their child's medical condition, in so far as it relates to allergy and the potential for anaphylactic reaction, changes and if relevant, provide an updated ASCIA Action Plan.
- c. Participate in a yearly review of their child's Individual Anaphylaxis Management Plan.
- d. Provide an up to date photo for ASCIA Action Plan when that Plan is provided to the school and when it is reviewed.
- e. Provide the school with an Adrenaline Auto-injector such as an EpiPen® that is current and not expired for their child.

Risk Minimisation and Prevention Strategies:

Centrestage will ensure that risk minimisation and prevention strategies are in place for all relevant in-school and out-of-school settings which include (but are not limited to) the following:

- In the class room
- Between classes and other breaks
- In the kitchen area
- Before and after class
- Special events including incursions, cultural days, fetes or class parties, excursions and camps.

IN-SCHOOL SETTINGS



Stud	ios/Classrooms
1	Copy of students' Individual Anaphylaxis Management Plans are displayed in their classrooms, Performance spaces and in a folder for staff
2	NEVER give food from outside sources to a student who is at risk of anaphylaxis.
3	No nuts should be brought into CentreStage/Vines Rd Community Centre – we are a "nut aware" business.
4	Regular discussions with students about the importance of washing hands, eating their own food and not sharing food.
5	Students at risk of Anaphylaxis should have easy access to their bag which should contain their Epipen®.
Kitcl	nen area/vending machine
1	The vending machine at Rodney Rd provides a range of products that exclude peanut or other nut products in the ingredient list. The vending machine at Vines Rd is not owned or stocked by Centrestage. We cannot guarantee that foods inside it are nut free or clearly labelled. It is not recommended for children from Centrestage to make purchases from this machine.
2	Benches and surfaces are sanitised daily at the cessation of classes
3	A 'no sharing of food' approach is adopted.
4	Awareness of contaminating other foods when preparing, handling or displaying food.
Cent	restage Grounds/Vines Rd Community Centre
1	Sufficient supervision of a student who is at risk of anaphylaxis by a staff member who is trained in the administration of an Adrenaline Auto-injector.
2	Adrenaline Auto-injectors and Individual Anaphylaxis Plans are easily accessible from their class room.



3	A Communication Plan is in place for staff medical information can be retrieved quickly and all staff are aware how to inform the Owner and Head of Tuition if an anaphylactic reaction occurs
4	Students with anaphylactic responses to insects are encouraged to stay away from water or flowering plants.
5	Lawns are mowed regularly and outdoor bins covered.
6	Students are encouraged to keep drinks and food covered while outdoors.
	T-OF-SCHOOL SETTINGS d trips, excursions, other performance spaces
1	Sufficient staff trained in the administration of an Adrenaline Auto-injector to attend.
2	Appropriate methods of communication must be discussed.
3	Identify the location of the Adrenaline Auto-injector i.e. Who will carry it? How will it be delivered to the student?
4	Individual Anaphylaxis Management Plans and Adrenaline Auto-injectors are to be easily accessible and staff must be aware of their location.
5	Risk assessment of the activity must be completed prior to departure.
6	Teacher in Charge should consult parents/carers of students at risk of Anaphylaxis in advance to discuss issues that might arise, to develop an alternative food menu or request the parents/carers provide a meal (if required).
7	Review Individual Anaphylaxis Management Plans prior to departure to ensure that it is up to date and relevant to the particular excursion or activity.
8	Students who are at risk from insect bites and stings should be encouraged to wear appropriate protective clothing.
9	First Aid Kits and mobile phones will be taken on every out-of-school activity.
L	



Individual Anaphylaxis Management Plans and Auto-injectors are located in the following locations:

At Warehouse 26: In the First Aid Cupboard in the kitchen

At Vines Road: With teaching staff in the portable first aid kit

The following information is available in the Centrestage Emergency Management Folders:

- A complete, up to date list of students identified as having a medical condition that relates to allergy and the potential for anaphylactic reaction.
- The information contained in Individual Anaphylaxis Management Plans (Original Plans located in the student's individual central file).

It is the responsibility of the Teacher-In-Charge at Vines Rd, or of a camp or excursion to ensure that all relevant medical information, medicines and equipment are available and that all supervisors and staff members are familiar with those students at risk of anaphylaxis.

School Management and Emergency Response:

If an Adrenaline Auto-injector is administered, the school must:

- 1. Immediately call an ambulance 000
- 2. Lay the student flat and elevate their legs. Do not stand or walk. If breathing is difficult for them allow them to sit but not stand.
- 3. Reassure the student experiencing the reaction, as they are likely to be feeling anxious and frightened as a result of the adrenaline. Watch the student closely in case of a worsening condition. Ask another staff member to move other students away and reassure them elsewhere.
- 4. In the rare situation where there is no marked improvement and severe symptoms are present, a second injection may be administered after five minutes, if a second Adrenaline Auto-injector is available.
- 5. Then contact the student's emergency contacts.
- 6. Notify the Owner or the Head of Tuition.
- 7. Document the incident and provide information to a medical practitioner. (Refer to ASCIA 'Action Plan for Anaphylaxis' Appendix B)

Centrestage will purchase spare Adrenaline Auto-injectors for general use and as a back-up to those supplied by parents/carers.



Communication Plan:

The Owner of Centrestage will be responsible for ensuring that a 'Communication Plan' is developed to provide information to all staff, students and Parents/Carers about anaphylaxis and the school's Anaphylaxis Management Policy.

The Communication Plan will include information about what next steps will be taken to respond to an anaphylactic reaction by a student in various environments including:

- During normal school activities, including in the classroom, in the school grounds, in all Centrestage buildings and sites.
- During off-site or out-of-school activities including, on excursions, school camps and at special events conducted or organised by Centrestage.

The Owner of Centrestage will be responsible for informing volunteers and casual relief staff of students with a medical condition that relates to allergy and the potential for anaphylactic reaction and their role in responding to an anaphylactic reaction by a student in their care.

The Principal will ensure that all relevant staff are:

- Trained
- Briefed at least twice per calendar year.

Centrestage will raise awareness about Anaphylaxis in the community by providing information on our website. Parents/Carers will be given timely reminders about the school's Anaphylaxis Management Policy and the need for the school to be kept well informed about children at risk.

The school's Anaphylaxis Management Policy will be made available to all parents/carers through the CentreStage website.

Staff will raise student awareness through class discussions, providing the following key messages:

- Always take food allergies seriously severe allergies are life threatening.
- Never share your food with your friends who have food allergies.
- Wash your hands after eating.
- Know what your friends are allergic to.
- If a school friend becomes sick get help immediately even if the friend does not want to.
- Be respectful of a school friend's Adrenaline Auto-injector.
- Never pressure your friends to eat food they are allergic too.



Staff Training:

The following school staff will be appropriately trained:

- Staff who conduct classes that have students with a medical condition that relates to allergy and the potential for Anaphylactic reaction.
- Any further school staff that are determined by the Owner.
- School staff must complete one of the following options below to meet the anaphylaxis training requirements of Ministerial Order 706 and record the dates training has occurred. CentreStage Performing Arts Academy will adopt Option Three

Option	Completed by	Course	Provider	Cost	Valid for
Option 1	All school staff	ASCIA Anaphylaxis e-training for Victorian Schools followed by a competency check by the School Anaphylaxis Supervisor	ASCIA	Free to all schools	2 years
	2 staff per school or per campus (School Anaphylaxis Supervisor)	Course in Verifying the Correct Use of Adrenaline Autoinjector Devices 22303VIC	Asthma Foundation	Free from the Asthma Foundation (for government schools)	3 years
Option 2	School staff as determined by the principal	Course in First Aid Management of Anaphylaxis 22300VIC	Any RTO that has this course in their scope of practice	Paid by each school	3 years
Option 3	School staff as determined by the principal	Course in Anaphylaxis Awareness 10313NAT	Any RTO that has this course in their scope of practice	Paid by each school	3 years

Please note: General First Aid training does NOT meet the anaphylaxis training requirements under MO706.

All staff will be briefed once each semester by a School Anaphylaxis Supervisor that includes:

- Pictures of the students at the school at risk of Anaphylaxis, their allergens, year levels and risk management plans that are in place
- Signs and symptoms of Anaphylaxis
- ASICA Action Plan for Anaphylaxis and how to administer an Adrenaline Auto-injector



• The school's First Aid Policy and emergency response procedures.

The briefing must be conducted by a member of the school staff, who has successfully completed an approved anaphylaxis management training course in the last 2 years.

Annual Risk Management Checklist

The Principal will ensure the Annual Risk Management Checklist is completed each year to ensure compliance with DET guidelines. (See Appendix G).

4. Definitions

Anaphylaxis: is a severe and sudden allergic reaction when a person is exposed to an allergen. Common allergens include:

- eggs
- peanuts
- tree nuts such as cashews
- cow's milk
- fish and shellfish
- wheat
- soy
- sesame
- latex
- insect stings and bites
- medications.

ASCIA Action Plan: This Plan is a nationally recognised action plan for anaphylaxis developed by the Australasian Society of clinical immunology and allergy. These plans are device specific, that is, they list the student's prescribed auto-injector e.g. Epipen ®

Individual Anaphylaxis Management Plan: An individual plan for each student at risk of anaphylaxis in consultation with the student's parent/carer and their medical practitioner to describe their allergy, symptoms, and the emergency response should the student display symptoms of an anaphylactic reaction.

5. Evaluation



This policy will be reviewed regularly by the leadership team at Centrestage with input from our CentreStage Advisory Group. It will also be reviewed based on any feedback received from parents/carers and any policy or guideline changes recommended by DET.

This policy was reviewed in January 2020. It is next due for review in 2021.



APPENDIX A: Individual Anaphylaxis Management Plan

This plan is to be completed by the principal or nominee on the basis of information from the student's medical practitioner (ASCIA Action Plan for Anaphylaxis) providedby the parent.

It is the parent's responsibility to provide the school with a copy of the student's ASCIA Action Plan for Anaphylaxis containing the emergency procedures plan (signed by the student's medical practitioner) and an up-to-date photo of the student - to be appended to this plan; and to inform the school if their child's medical condition changes.

School				Phone		
Student						
DOB				Year level		
Severely allergic to:						
Other health						
conditions						
Medication at school						
	EMER	GENCY C	ONTACT	DETAILS (PA	ARENT)	
Name				Name		
Relationship				Relationship		
Home phone				Home phone		
Work phone				Work phone		
Mobile				Mobile		
Address				Address		
	EMERGE	NCY CO	NTACT D	ETAILS (ALTI	ERNATE)	
Name				Name		
Relationship				Relationship		
Home phone				Home phone		
Work phone				Work phone		
Mobile				Mobile		
Address				Address		
Medical practitioner	Name					
contact	Phone					
Emergency care to be provided at school						



Storage location for			
adrenaline Auto-			
injector (device			
specific) (EpiPen®)			
, , , ,	ENVIRONMEN	NT	
		•	
To be completed by	principal or nominee. Please con	sider each envir	onment/area (on and
	tudent will be in for the year, e.g.		
sports oval, excursion		,	, ,
Name of environme			
Risk identified	Actions required to minimise the risk	Who is responsible?	Completion date?
Name of environme	nt/area:		
Risk identified	Actions required to minimise the risk	Who is responsible?	Completion date?
Name of environme	nt/area:		
Risk identified	Actions required to minimise the	Who is	Completion date?
	risk	responsible?	
Name of			
environment/area:			
Actions required to	Who is responsible?	Completion	
minimise the risk		date?	
Name of environme	nt/area:		
Risk identified	Actions required to minimise the risk	Who is responsible?	Completion date?

(Continues on next page)





ACTION PLAN FOR



www.allergy.org.au	Anaphylaxis
Name:	For EpiPen® adrenaline (epinephrine) autoinjectors
Date of birth:	SIGNS OF MILD TO MODERATE ALLERGIC REACTION
	Swelling of lips, face, eyes Hives or welts Tingling mouth Abdominal pain, vomiting (these are signs of anaphylaxis for insect allergy)
	ACTION FOR MILD TO MODERATE ALLERGIC REACTION
	For insect allergy - flick out sting if visible For tick allergy - freeze dry tick and allow to drop off Stay with person and call for help Locate EpiPen® or EpiPen® Jr adrenaline autoinjector Give other medications (if prescribed)
Confirmed allergens:	Phone family/emergency contact
Family/emergency contact name(s):	Mild to moderate allergic reactions (such as hives or swelling) may not always occur before anaphylaxis
	WATCH FOR ANY ONE OF THE FOLLOWING SIGNS OF
Work Ph:	ANAPHYLAXIS (SEVERE ALLERGIC REACTION)
Home Ph:	Difficulty noisy breathing Swelling of tongue Swelling/tightness in throat Wheeze or persistent cough Difficulty talking and/or hoarse voice Persistent dizziness or collapse Pale and floppy (young children) ACTION FOR ANAPHYLAXIS
Signed:	
Date:Action Plan due for review: How to give EpiPen®	1 Lay person flat - do NOT allow them to stand or walk - If unconscious, place in recovery position - If breathing is difficult allow them to sit
Form flat around EpiPen+ and PULL OFF ELLIE SAFETY RELEASE Hold lag still and PLACE	2 Give EpiPen® or EpiPen® Jr adrenaline autoinjector 3 Phone ambulance - 000 (AU) or 111 (NZ) 4 Phone family/emergency contact 5 Further adrenaline doses may be given if no response after
ORANGE END against outer mid-thigh (with or without clothing)	5 minutes 6 Transfer person to hospital for at least 4 hours of observation If in doubt give adrenaline autoinjector
3 PUSH DOWN HARD until	Commence CPR at any time if person is unresponsive and not breathing normally
a click is heard or felt and hold in place for 3 seconds REMOVE EpiPen*	ALWAYS give adrenaline autoinjector FIRST, and then asthma reliever puffer if someone with known asthma and allergy to food, insects or medication has SUDDEN BREATHING DIFFICULTY (including
All EpiPenPs should be held in place for 3 seconds regardless of instructions on device label	wheeze, persistent cough or hoarse voice) even if there are no skin symptoms Authms reliever medication prescribed: Y N

ARCIA 2017 This plan was developed as a medical document that can only be completed and signed by the patients medical or nume practitioner and cannot be altered without their p

Created by Marnie Parkinson – Health and Wellbeing Manager Copyright 2019 26 Rodney Road, North Geelong, Victoria, Australia www.centrestage.org.au



Parents and guardians (via their medical practitioner) can access the ASCIA Action Plan from

https://www.allergy.org.au/health-professionals/ascia-plans-action-and-treatment

This Individual Anaphylaxis Management Plan will be reviewed on any of the following occurrences (whichever happen earlier):

- annually
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- as soon as practicable after the student has an anaphylactic reaction at school
- when the student is to participate in an off-site activity, such as camps and excursions, or at special events conducted, organised or attended by the school (e.g. class parties, elective subjects, cultural days, fetes, incursions).

I have been consulted in the development of this Individual Anaphylaxis Management Plan.

I consent to the risk minimisation strategies proposed.

Risk minimisation strategies are available at Chapter 8 – Risk Minimisation Strategies of

Nisk millimisation strategies are available at Chapter 6 – Nisk Millimisation Strategies of				
the Anaphylaxis Guidelines				
Signature of parent:				
Date:				
I have consulted the parents of the students and the relevant school staff who will be				
involved in the implementation of this Individual Anaphylaxis Management Plan.				
Signature of principal (or				
nominee):				
Date:				

Centre/Stage

Appendix




Anaphylaxis




For EpiPen® adrenaline (epinephrine) autoinjectors


How to give EpiPen®



Form flat around EpiPen® and PULL OFF BLUE SAFETY RELEASE



Hold leg still and PLACE ORANGE END against outer mid-thigh (with or without clothing)



PUSH DOWN HARD until a click is heard or felt and hold in place for 3 seconds

REMOVE EpiPen®

SIGNS OF MILD TO MODERATE ALLERGIC REACTION

- · Swelling of lips, face, eyes
- Hives or welts
- Tingling mouth
- Abdominal pain, vomiting (these are signs of anaphylaxis for insect allergy)

ACTION FOR MILD TO MODERATE ALLERGIC REACTION

- . For insect allergy flick out sting if visible
- . For tick allergy freeze dry tick and allow to drop off
- . Stay with person and call for help
- Locate EpiPen® or EpiPen® Jr adrenaline autoinjector
- · Phone family/emergency contact

Mild to moderate allergic reactions (such as hives or swelling) may not always occur before anaphylaxis

WATCH FOR <u>ANY ONE</u> OF THE FOLLOWING SIGNS OF ANAPHYLAXIS (SEVERE ALLERGIC REACTION)

- Difficult/noisy breathing
- Swelling of tongue
- Swelling/tightness in throat
- Wheeze or persistent cough
- Difficulty talking and/or hoarse voice
- Persistent dizziness or collapse
- · Pale and floppy (young children)

ACTION FOR ANAPHYLAXIS

1 Lay person flat - do NOT allow them to stand or walk

- If unconscious, place in recovery position
- If breathing is difficult allow them to sit







- 2 Give EpiPen® or EpiPen® Jr adrenaline autoinjector
- 3 Phone ambulance 000 (AU) or 111 (NZ)
- 4 Phone family/emergency contact
- 5 Further adrenaline doses may be given if no response after 5 minutes
- 6 Transfer person to hospital for at least 4 hours of observation

If in doubt give adrenaline autoinjector

Commence CPR at any time if person is unresponsive and not breathing normally EpiPenP is prescribed for children over 20kg and adults. EpiPenPir is prescribed for children 10-20kg

ALWAYS give adrenaline autoinjector FIRST, and then asthma reliever puffer if someone with known asthma and allergy to food, insects or medication has SUDDEN BREATHING DIFFICULTY (including wheeze, persistent cough or hourse voice) even if there are no skin symptoms

All EpiPen®s should be held in place for 3 seconds regardless of instructions on device label

© ASC/A 2017



Appendix G: Annual risk management checklist

(to be completed at the start of each year)

Sc	hool name:			
Da	te of review:			
Who completed this checklist?		Name:		
		Position:		
Re	view given to:	Name		
		Position		
Со	mments:			
Ge	neral informați	on		
1.		rent students have been diagnosed as being at risk of anaphylaxis, prescribed an adrenaline autoinjector?		
2.	How many of t	hese students carry their adrenaline autoinjector on their person?		
3.	Have any stud school?	ents ever had an allergic reaction requiring medical intervention at	☐ Yes	□ No
	a. If Yes, how	many times?		
4.	Have any stud	ents ever had an anaphylactic reaction at school?	☐ Yes	□ No
	a. If Yes, how	many students?		
	b. If Yes, how	many times		
5.	Has a staff me student?	mber been required to administer an adrenaline autoinjector to a	☐ Yes	□ No
	a. If Yes, how	many times?		
6.		s a government school, was every incident in which a student aphylactic reaction reported via the Incident Reporting and stem (IRIS)?	☐ Yes	□ No



SECTION 1: Training		
 Have all school staff who conduct classes with students who are at risk of anaphylaxis successfully completed an approved anaphylaxis management training course, either: 	☐ Yes	□ No
 online training (ASCIA anaphylaxis e-training) within the last 2 years, or 		
 accredited face to face training (22300VIC or 10313NAT) within the last 3 years? 		
Does your school conduct twice yearly briefings annually?	☐ Yes	☐ No
If no, please explain why not, as this is a requirement for school registration.		
Do all school staff participate in a twice yearly anaphylaxis briefing?	☐ Yes	☐ No
If no, please explain why not, as this is a requirement for school registration.		
10. If you are intending to use the ASCIA Anaphylaxis e-training for Victorian Schools:	☐ Yes	□ No
 Has your school trained a minimum of 2 school staff (School Anaphylaxis Supervisors) to conduct competency checks of adrenaline autoinjectors (EpiPen®)? 		
b. b. Are your school staff being assessed for their competency in using adrenaline autoinjectors (EpiPen®) within 30 days of completing the ASCIA Anaphylaxis e-training for Victorian Schools?	☐ Yes	□ No
SECTION 2: Individual Anaphylaxis Management Plans		
11. Does every student who has been diagnosed as being at risk of anaphylaxis and prescribed an adrenaline autoinjector have an Individual Anaphylaxis Management Plan which includes an ASCIA Action Plan for Anaphylaxis completed and signed by a prescribed medical practitioner?	☐ Yes	□ No
Are all Individual Anaphylaxis Management Plans reviewed regularly with parents (at least annually)?	☐ Yes	□ No
13. Do the Individual Anaphylaxis Management Plans set out strategies to minimise the risk of exposure to allergens for the following in-school and out of class settings?		
During classroom activities, including elective classes	☐ Yes	□ No
b. In canteens or during lunch or snack times	☐ Yes	□ No
c. Before and after school, in the school yard and during breaks	☐ Yes	□ No
For special events, such as sports days, class parties and extra-curricular activities	☐ Yes	□ No
e. For excursions and camps	☐ Yes	□ No
f. Other	☐ Yes	□ No



14. Do all students who carry an adrenaline autoinjector on their person have a copy of their ASCIA Action Plan for Anaphylaxis kept at the school (provided by the parent)?	☐ Yes	□ No
a. Where are the Action Plans kept?		
15. Does the ASCIA Action Plan for Anaphylaxis include a recent photo of the student?	☐ Yes	□ No
16. Are Individual Management Plans (for students at risk of anaphylaxis) reviewed prior to any off site activities (such as sport, camps or special events), and in consultation with the student's parent/s?	☐ Yes	□ No
SECTION 3: Storage and accessibility of adrenaline autoinjectors		
17. Where are the student(s) adrenaline autoinjectors stored?		
18. Do all school staff know where the school's adrenaline autoinjectors for general use are stored?	☐ Yes	∐ No
19. Are the adrenaline autoinjectors stored at room temperature (not refrigerated) and out of direct sunlight?	☐ Yes	□ No
20. Is the storage safe?	☐ Yes	□ No
21. Is the storage unlocked and accessible to school staff at all times? Comments:	☐ Yes	□ No
22. Are the adrenaline autoinjectors easy to find? Comments:	☐ Yes	
23. Is a copy of student's individual ASCIA Action Plan for Anaphylaxis kept together with the student's adrenaline autoinjector?	☐ Yes	□ No
24. Are the adrenaline autoinjectors and Individual Anaphylaxis Management Plans (including the ASCIA Action Plan for Anaphylaxis) clearly labelled with the student's names?	☐ Yes	□ No



25. Has someone been designated to check the adrenaline autoinjector expiry dates on a regular basis?	☐ Yes	□ No
Who?		
26. Are there adrenaline autoinjectors which are currently in the possession of the school which have expired?	☐ Yes	□ No
27. Has the school signed up to EpiClub (optional free reminder services)?	☐ Yes	□ No
28. Do all school staff know where the adrenaline autoinjectors, the ASCIA Action Plans for Anaphylaxis and the Individual Anaphylaxis Management Plans are stored?	☐ Yes	□ No
29. Has the school purchased adrenaline autoinjector(s) for general use, and have they been placed in the school's first aid kit(s)?	☐ Yes	□ No
30. Where are these first aid kits located?		
Do staff know where they are located?	☐ Yes	□ No
31. Is the adrenaline autoinjector for general use clearly labelled as the 'General Use' adrenaline autoinjector?	☐ Yes	□ No
32. Is there a register for signing adrenaline autoinjectors in and out when taken for excursions, camps etc?	☐ Yes	□ No
SECTION 4: Risk Minimisation strategies		
33. Have you done a risk assessment to identify potential accidental exposure to allergens for all students who have been diagnosed as being at risk of anaphylaxis?	☐ Yes	□ No
34. Have you implemented any of the risk minimisation strategies in the Anaphylaxis Guidelines? If yes, list these in the space provided below. If no please explain why not as this is a requirement for school registration.	☐ Yes	□ No
35. Are there always sufficient school staff members on yard duty who have current Anaphylaxis Management Training?	☐ Yes	□ No
SECTION 5: School management and emergency response		
36. Does the school have procedures for emergency responses to anaphylactic reactions? Are they clearly documented and communicated to all staff?	☐ Yes	□ No
37. Do school staff know when their training needs to be renewed?	☐ Yes	☐ No
38. Have you developed emergency response procedures for when an allergic reaction occurs?	☐ Yes	□ No
a. In the class room?	☐ Yes	□ No
b. In the school yard?	☐ Yes	☐ No



d. At school camps and excursions?	☐ Yes	□ No
 e. On special event days (such as sports days) conducted, organised or attended by the school? 	☐ Yes	□ No
39. Does your plan include who will call the ambulance?	☐ Yes	□ No
40. Is there a designated person who will be sent to collect the student's adrenaline autoinjector and individual ASCIA Action Plan for Anaphylaxis?	☐ Yes	□ No
41. Have you checked how long it takes to get an individual's adrenaline autoinjector and corresponding individual ASCIA Action Plan for Anaphylaxis to a student experiencing an anaphylactic reaction from various areas of the school including:	☐ Yes	□ No
a. The class room?	☐ Yes	□ No
b. The school yard?	☐ Yes	□ No
c. The sports field?	☐ Yes	□ No
d. The school canteen?	☐ Yes	□ No
42. On excursions or other out of school events is there a plan for who is responsible for ensuring the adrenaline autoinjector(s) and Individual Anaphylaxis Management Plans (including the ASCIA Action Plan) and the adrenaline autoinjector for general use are correctly stored and available for use?	☐ Yes	□ No
43. Who will make these arrangements during excursions?		
44. Who will make these arrangements during camps?		
45. Who will make these arrangements during sporting activities?		
46. Is there a process for post-incident support in place?	☐ Yes	□ No
47. Have all school staff who conduct classes attended by students at risk of anaphylaxis, and any other staff identified by the principal, been briefed by someone familiar with the school and who has completed an approved anaphylaxis management course in the last 2 years on:		
a. The school's Anaphylaxis Management Policy?	☐ Yes	□ No
b. The causes, symptoms and treatment of anaphylaxis?	☐ Yes	□ No
c. The identities of students at risk of anaphylaxis, and who are prescribed an adrenaline autoinjector, including where their medication is located?	☐ Yes	□ No
d. How to use an adrenaline autoinjector, including hands on practice with a trainer adrenaline autoinjector?	☐ Yes	□ No
 The school's general first aid and emergency response procedures for all in- school and out-of-school environments? 	☐ Yes	□ No
f. Where the adrenaline autoinjector(s) for general use is kept?	☐ Yes	☐ No



g. Where the adrenaline autoinjectors for individual students are located including if they carry it on their person?	☐ Yes	□ No
SECTION 6: Communication Plan		
48. Is there a Communication Plan in place to provide information about anaphylaxis and the school's policies?		
a. To school staff?	☐ Yes	□ No
b. To students?	☐ Yes	□ No
c. To parents?	☐ Yes	□ No
d. To volunteers?	☐ Yes	□ No
e. To casual relief staff?	☐ Yes	□ No
49. Is there a process for distributing this information to the relevant school staff?	☐ Yes	□ No
a. What is it?		
50. How will this information kept up to date?		
51. Are there strategies in place to increase awareness about severe allergies among students for all in-school and out-of-school environments?	☐ Yes	□ No
52. What are they?		